

## PRODUCT DATASHEET

### CLAS B CL 11 W 230...240 V E14

CLASSIC B | Incandescent lamps, classic mini-candle shape



---

#### Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or B22d holders (screw or bajonet holders)

---

#### Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

---

#### Product features

- Non-oxidizing aluminum base

---

**TECHNICAL DATA****Electrical data**

|                      |             |
|----------------------|-------------|
| Nominal wattage      | 11 W        |
| Construction wattage | 11.00 W     |
| Nominal voltage      | 230...240 V |

**Photometrical data**

|                   |        |
|-------------------|--------|
| Luminous flux     | 50 lm  |
| Luminous efficacy | 4 lm/W |
| Color temperature | 2700 K |
| Light color       | 27     |

**Light technical data**

|               |     |
|---------------|-----|
| Starting time | 0 s |
|---------------|-----|

**Dimensions & Weight**

|                  |          |
|------------------|----------|
| Overall length   | 97.00 mm |
| Diameter         | 35,0 mm  |
| Maximum diameter | 36 mm    |
| Product weight   | 13.00 g  |

**Additional product data**

|                             |        |
|-----------------------------|--------|
| Base (standard designation) | E14    |
| Mercury content             | 0.0 mg |
| Mercury-free                | Yes    |
| Design / version            | Clear  |

**Country-specific categorizations**

|                 |                     |
|-----------------|---------------------|
| ILCOS           | IBB/C-11-235-E14-35 |
| Order reference | CLAS B CL 11W 2     |

**Energy labelling regulation data acc EU 2019/2015**

|                                                     |           |
|-----------------------------------------------------|-----------|
| Light source cap-type (or other electric interface) | E14       |
| Length                                              | 104.00 mm |
| Height                                              | 35,0 mm   |
| Width                                               | 35,0 mm   |
| EPREL ID                                            | 714457    |
| Model number                                        | AA79267   |

---

**Safety advice**

- Do not touch the lamp if broken.
- Must not be used if outer bulb is defective.
- Lamp to be used only in a closed luminaire.

---

## DOWNLOAD DATA

| Documents and certificates                                                       |                            | Document name      |
|----------------------------------------------------------------------------------|----------------------------|--------------------|
|  | On-Pack-Info               | ELR - exempt lamps |
|  | Declarations of conformity | GLS CLAS 11W       |

---

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume               |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4008321844897 | Folding box<br>1             | 36 mm x 36 mm x 103 mm               | 18.00 g      | 0.13 dm <sup>3</sup> |
| 4008321844903 | Shipping box<br>20           | 189 mm x 151 mm x 113 mm             | 420.00 g     | 3.22 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.